

HOT WORK PERMIT

All temporary operations involving open flames or producing heat and/or sparks require a Hot Work Permit. This includes, but is not limited to, Brazing, Cutting, Grinding, Soldering, Thawing, and Welding.

INSTRUCTIONS FOR FIRE SAFETY SUPERVISOR

1. Verify precautions listed at right (or do not proceed with the work).
2. Complete PLY 1 and retain for job files.
3. Post PLY 2 in vicinity of hot work.

DATE _____ JOB NO. _____

LOCATION/BUILDING & FLOOR (Be Specific) _____

DESCRIPTION OF WORK BEING PERFORMED _____

NAME OF PERSON DOING HOT WORK _____

The above location has been examined, the precautions checked on the Hot Work Checklist have been taken to prevent fire, and permission is authorized for this work.

SIGNED: _____
(Fire Safety Supervisor)

SIGNED: _____
(Person doing Hot Work)

SIGNED: _____
(Fire Watch)

TIME STARTED: Date: _____ Time: _____ AM/PM

PERMIT EXPIRES: Date: _____ Time: _____ AM/PM

FILL OUT EMERGENCY INFORMATION ON PAGE 2.

PART A

HOT WORK CHECKLIST

- Sprinklers and hose streams in service/operable.
- Hot Work Equipment in good condition (e.g., power source, welding leads, torches, etc.)
- Multi-purpose fire extinguisher and/or water pump can.

REQUIREMENTS WITHIN 35 FEET OF WORK

- Dust, Lint, Debris, Flammable Liquids and oily deposits removed.
- Explosive atmosphere in area eliminated.
- Combustible floors (e.g., wood, tile, carpeting) wet down, covered with damp sand or fire blankets.
- Remove flammable and combustible material where possible. Otherwise protect with fire blankets, guards, or metal shields.
- All wall and floor openings covered.
- Walkways protected beneath hot work.

WORK ON WALLS OR CEILING

- Combustibles moved away from other side of wall.

WORK IN CONFINED SPACES

- Confined space cleaned of all combustibles (example: grease, oil, flammable vapors).
- Containers purged of flammable liquids/vapors.
- Follow confined space guidelines.

FIRE WATCH/HOT WORK AREA MONITORING

- Fire watch will be provided during and for 30 minutes after work, including any coffee or lunch breaks.
- Fire watch is supplied with an extinguisher, and/or water pump can, also making use of other extinguishers located throughout work area.
- Fire watch is trained in use of this equipment and familiar with location of sounding alarm.
- Fire watch may be required for opposite side of walls, above, and below floors and ceilings.

OTHER PRECAUTIONS TAKEN

-

HOT WORK PERMIT

All temporary operations involving open flames or producing heat and/or sparks require a Hot Work Permit. This includes, but is not limited to, Brazing, Cutting, Grinding, Soldering, Thawing, and Welding.

PART B

INSTRUCTIONS FOR FIRE SAFETY SUPERVISOR

1. Verify precautions listed at right (or do not proceed with the work).
2. Complete page 1 and retain for job files.
3. Post page 2 in vicinity of hot work.

DATE _____ JOB NO. _____

LOCATION/BUILDING & FLOOR (Be Specific) _____

DESCRIPTION OF WORK BEING PERFORMED _____

NAME OF PERSON DOING HOT WORK _____

The above location has been examined, the precautions checked on the Hot Work Checklist have been taken to prevent fire, and permission is authorized for this work.

SIGNED: _____
(Fire Safety Supervisor)

SIGNED: _____
(Person doing Hot Work)

SIGNED: _____
(Fire Watch)

TIME STARTED: Date: _____ Time: _____ AM/PM

Date: _____ Time: _____ AM/PM

FIRE WATCH SIGNOFF

Work area and all adjacent areas to which sparks and heat might have spread were inspected during the fire watch period and were found fire safe.

Signed: _____

FINAL CHECKUP (minimum 30 minutes after Hot Work)

Work area was monitored for _____ hour(s) following Hot Work and found fire safe.

Signed: _____

FILL OUT EMERGENCY INFORMATION ON BACK OF PLY 2.

HOT WORK CHECKLIST

- Sprinklers and hose streams in service/operable.
- Hot Work Equipment in good condition (e.g., power source, welding leads, torches, etc.)
- Multi-purpose fire extinguisher and/or water pump can.

REQUIREMENTS WITHIN 35 FEET OF WORK

- Dust, Lint, Debris, Flammable Liquids and oily deposits removed.
- Explosive atmosphere in area eliminated.
- Combustible floors (e.g., wood, tile, carpeting) wet down, covered with damp sand or fire blankets.
- Remove flammable and combustible material where possible. Otherwise protect with fire blankets, guards, or metal shields.
- All wall and floor openings covered.
- Walkways protected beneath hot work.

WORK ON WALLS OR CEILINGS

- Combustibles moved away from other side of wall.

WORK IN CONFINED SPACES

- Confined space cleaned of all combustibles (example: grease, oil, flammable vapors).
- Containers purged of flammable liquids/vapors.
- Follow confined space guidelines.

FIRE WATCH/HOT WORK AREA MONITORING

- Fire watch will be provided during and for 30 minutes after work, including any coffee or lunch breaks.
- Fire watch is supplied with an extinguisher, and/or water pump can, also making use of other extinguishers located throughout work area.
- Fire watch is trained in use of this equipment and familiar with location of sounding alarm.
- Fire watch may be required for opposite side of walls, above, and below floors and ceilings.

OTHER PRECAUTIONS TAKEN

WARNING!

HOT WORK IN PROGRESS WATCH FOR FIRE!

IN CASE OF AN EMERGENCY:

CALL: _____

AT:

WARNING!